



DM5

DM1 1S(OT) - DM1 1S(IT)

DM1 2S(OT) - DM1 2S(IT)

# DM5S

The Macdonald DM5 Demolition Pick is the ideal tool for light duty demolition work in brick or concrete. Due to the hammer only action these tools will give reduced maintenance costs, harder hitting power and less spares requirements than hammer drill tools. They can be used with a range of standard accessories.

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		AIR HOSE		HOSE FITTING
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	ins	mm	
DM5/S (hex )	3/4	19	.63	4.8	15.75	400	1.125	28	2.4	61	2600	43	16	7	90	6	1/2	12.5	1/2.BSP



# DM11S (inside trigger)

The Macdonald DM11S is a versatile tool for general work and ideal for demolition in brick or concrete. Well balanced & Manouverable for working in confined areas with a choice of outside or inside trigger. Features include aquiet, durable one piece silencer/muffler, quick change latch retainer and reversible Handle through 180 degrees.

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		AIR HOSE		HOSE FITTING
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	ins	mm	
DM11/S	7/8.x3.14	22x82.5	24	10.9	20	510	1.57	40	35	89	1620	27	30	14	90	6	3/4	19	3/4.BSP

Notes: 1. The weights shown include a silencer 2. The weights of the bare tools are 3.4lbs ( 1.5kg ) lighter.



# DM1 1S (outside trigger)

The Macdonald DM1 1S is the most versatile tool for general work and ideal for demolition in brick or concrete. Well balanced & Manouverable for working in confined areas with a choice of outside or inside trigger. Quiet, durable one piece silencer/muffler (optional USA), quick change latch retainer and reversible Handle through 180 degrees.



model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		AIR HOSE		HOSE FITTING
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	ins	mm	
DM11/S	7/8,x3.14	22x82.5	24	10.9	20	510	1.57	40	35	89	1620	27	30	14	90	6	3/4	19	3/4.BSP

Notes: 1. The weights shown include a silencer 2. The weights of the bare tools are 3.4lbs ( 1.5kg ) lighter.

# DM1 2S (inside trigger)

The DM12S is the heavyweight of the Macdonald range of Demolition Tools. The D-Handle provides a comfortable safe grip even when wearing gloves. The four bolt backhead provides added security and avoids the possibility of accidental loosening. The long powerful stroke provides high impact energy and smooth operation for the heaviest demolition work.

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		HOSE FITTING		
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar			
DM12S	63/64x215/16	25 x 75	29	13.1	25.7	653	1.4	36	7.5	191	980	16	42	20	90	6			3/4.BSP

Notes: 1. The weights shown include a silencer 2. The weights of the bare tools are 3.4lbs ( 1.5kg ) lighter.

# DM12S (outside trigger)

*The DM12S is the heavyweight of the Macdonald range of Demolition Tools. The D-Handle provides a comfortable safe grip even when wearing gloves. The four bolt backhead provides added security and avoids the possibility of accidental loosening. The long powerful stroke provides high impact energy and smooth operation for the heaviest demolition work.*

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		HOSE FITTING
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	
DM12S	63/64x215/16	25 x 75	29	13.1	25.7	653	1.4	36	7.5	191	980	16	42	20	90	6	3/4.BSP

Notes: 1. The weights shown include a silencer      2. The weights of the bare tools are 3.4lbs ( 1.5kg ) lighter.



# STANDARD DEMOTOOLS

## COMPARISON SHEET

STANDARD DEMOTOOLS

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		AIR HOSE		HOSE FITTING
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	ins	mm	
DM5/S (hex)	3/4	19	.63	4.8	15.75	400	1.125	28	2.4	61	2600	43	16	7	90	6	1/2	12.5	1/2.BSP

Notes: 1. The weights shown include a silencer 2. The weights of the bare tools are 3.4lbs ( 1.5kg ) lighter.



DM5S

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		AIR HOSE		HOSE FITTING
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	ins	mm	
DM11/S	7/8.x3.14	22x82.5	24	10.9	20	510	1.57	40	35	89	1620	27	30	14	90	6	3/4	19	1/2.BSP

Notes: 1. The weights shown include a silencer 2. The weights of the bare tools are 3.4lbs ( 1.5kg ) lighter.



DM11S

(inside trigger)

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		AIR HOSE		HOSE FITTING
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	ins	mm	
DM11/S	7/8.x3.14	22x82.5	24	10.9	20	510	1.57	40	35	89	1620	27	30	14	90	6	3/4	19	1/2BSP

Notes: 1. The weights shown include a silencer 2. The weights of the bare tools are 3.4lbs ( 1.5kg ) lighter.



DM11S

(outside trigger)

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		AIR HOSE		HOSE FITTING
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	ins	mm	
DM12S	63/64x215/16	25 x 75	29	13.1	25.7	653	1.4	36	7.5	191	980	16	42	20	90	6			1/2.BSP

Notes: 1. The weights shown include a silencer 2. The weights of the bare tools are 3.4lbs ( 1.5kg ) lighter.

DM12S

(inside trigger)

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		AIR HOSE		HOSE FITTING
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	ins	mm	
DM12S	63/64x215/16	25 x 75	29	13.1	25.7	653	1.4	36	7.5	191	980	16	42	20	90	6			1/2.BSP

Notes: 1. The weights shown include a silencer 2. The weights of the bare tools are 3.4lbs ( 1.5kg ) lighter.



DM12S

(outside trigger)