



DR4VRS - 1615V
2315V

DR4VRS

The DR4VRS is our lightweight hammer action rotary air drill capable of drilling into the hardest concrete or stone.

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		AIR HOSE
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	ins
DR4VRS	3/4	19	15	6.9	16	400	1.25	32	1.5	38	3400	57	22	10	90	6	1/2"



1615V

The Macdonald 1615V Rock Drill is lightweight and compact and is therefore ideal for pop holing, gas work and excellent for confined spaces. It is designed for hand drilling holes suitable for blasting operations in mines and quarries and is capable of being used on rocks of varying hardness. It will drill a 34mm diameter hole up to 1.5 metres deep.

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		AIR HOSE		HOSE FITTING
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	ins	mm	
1615V	7/8	22	39	17.5	26	645	2.16	55	2	50	2200	37	86	41	90	6	3/4	19	3/4.NPT



2315V

The Macdonald 2315V Rock Drill is a medium weight tool designed for drilling holes suitable for blasting operations in mines, quarries and is capable of being used on rock of varying hardness. It will drill a 45mm diameter hole up to 4 metres deep or 42mm diameter hole up to 6 metres deep. Its impact energy makes it suitable for drilling hard rock.

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		AIR HOSE		HOSE FITTING
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	ins	mm	
2315V	7/8	22	57	26	32	820	2.75	70	2	50	2100	35	120	56	90	6	3/4	19	3/4.NPT
	1	25	57	26	32	820	2.75	70	2	50	2100	35	120	56	90	6	3/4	19	3/4.NPT

Notes: 1. The weights shown include a silencer 2. The weights of the bare tools are 3.4lbs (1.5kg) lighter.



VR DRILLS COMPARISON SHEET

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		AIR HOSE	
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	ins	mm
DR4VRS	3/4	19	15	6.9	16	400	1.25	32	1.5	38	3400	57	22	10	90	6	1/2"	



DR4VRS

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		AIR HOSE		HOSE FITTING
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	ins	mm	
1615V	7/8	22	39	17.5	26	645	2.16	55	2	50	2200	37	86	41	90	6	3/4	19	3/4.NPT



1615V

model	CHUCK SIZE		WEIGHT		LENGTH		BORE		STROKE		FRQ'CY		AIR CONS		REC.WRKG		AIR HOSE		HOSE FITTING
	ins	mm	lbs	kg	ins	mm	ins	mm	ins	mm	bpm	hz	cfm	L/sec	psi	bar	ins	mm	
2315V	7/8	22	57	26	32	820	2.75	70	2	50	2100	35	120	56	90	6	3/4	19	3/4.NPT
	1	25	57	26	32	820	2.75	70	2	50	2100	35	120	56	90	6	3/4	19	3/4.NPT



2315V